

DD10K

Yealink Ruggedized DECT Handset

The Yealink DECT dongle DD10K not only enables T41S/T42S/T54W to work concurrently with the Yealink DECT system as a handset after pairing with Yealink W60B/W70B/W80B/W90B DECT IP base station, but also enables T53/T53W/T54W/T57W/T58A/T58W/VP59 to work as a base station which can be registered with up to 4 compatible Yealink W52H/W56H/W53H/W73H/W78H/W57R/W59R handsets. Supported by a powerful transmission rate of 1152kbps/s, this solution provides you with a quick and reliable DECT connection without wiring or cabling troubles, and gives you the privilege of enjoying wireless communications in minutes. As a complement to the Yealink DECT series, attaching DD10K to your desk phone offers a new solution by combining the desk phone's features with DECT capabilities.

Yealink DD10K is easy and safe to deploy, guaranteeing a flexible and optimal user experience.




Key Features and Benefits

- Compatible with Yealink SIP- T41S/T42S with FW 66.82.0.35 or later, SIP-T58A with FW V83 or later and SIP T53/T53W/T54W/T57W/T58W/VP59
- Reliable Connection
- Ease-of-use
- Plug and Play
- High Transmission Rate

Use Scenario of DD Phone (T54W+DD10K)

- Warehouse
- Supermarket
- Restaurant
- Others




Specifications

Specifications	Description
Display	• 1.8' ' 128x160 TFT color screen • Intuitive user interface with icons and soft keys • Caller ID with name and number • Notification Light: voice mail, missed call • Date & time (manual/auto synchronization) • Screen saver • Multilingual user interface • Keypad backlight

Phone Features	· Up to 2 simultaneous calls per handset · Handset select for receiving call · Handset and number select for making call · Auto intercom, auto answer · 3-way conference · Call forward: Always/Busy/No Answer · Call waiting, mute, hold · DND · Call transfer · Swap between calls · Redial · Speed dial · Voice mail · Silence · Dial plan: Replace Rule/Area Code/Block Out · Keypad lock · Emergency call · 100 phone book memory (store in the base) · Remote phonebook, LDAP, XML phonebook · Phonebook search, blocklist · Call history: All/Placed/Missed/Received (up to 100 entries) · Direct IP call without SIP proxy · Reset to factory, reboot · Anonymous call, anonymous call rejection · OTA (Over-The-Air) upgrade via base station
Audio Features	· Full-duplex speakerphone · HD audio · Hearing Aid Compatibility (HAC) compliant · Frequency response: 100 Hz–7 kHz · FNR (Flexible Noise Reduction) · Receiver volume control: 5 steps · Ringer volume control: 5 steps+off · 9 ringer melodies · Multiple advisory tones · Acoustic warning for low battery status · DTMF
DECT	· DECT Transmission Rate: 1152 kbps/s · 2 internal QWL omnidirectional antennas · Power Consumption: 815 mW · Frequency bands: 1880 – 1900 MHz (Europe), 1920 – 1930 MHz (US) · DECT Range: - Indoor Range: 20 m-50 m (The max distance is 50 m) - Outdoor Range: 300 m (In clear view and ideal conditions)
Physical Features	· Interface: USB 2.0 · Dimension: 73 mm x 27 mm x 8 mm · Weight: 2 g

Package Features	· Package contents: - DD10K DECT USB Dongle - Quick start guide · Qty/CTN: 80 PCS · Giftbox size: 136 mm x 70 mm x 40 mm · Carton meas: 443 mm x 305 mm x 285 mm · N.W: 4.0 kg · G.W: 4.6 kg
Compliance	   IC: 10741A-DD10



[Click Here](#) to go to the product introduction on the Yealink official website.