

EHS36

Talk and receive calls everywhere

The new and advanced Yealink Headset Adapter EHS36 provides the technical interface between your Yealink T48S/T46S/T42S/T41S/T48G/T46G/T42G/T40G/T40P/T41P/T29G/T27G/T27P IP Phones and a compatible wireless headset. It is approved for using with major manufacture Jabra and Plantronics wireless models.

The unit is easy to install, simply link EHS36 to the EXT port of the phone and, effectively 'plug and play' giving you control of your Yealink phone and the ability to answer and hang up calls remotely.

It has been especially designed to ensure maximum productivity in business applications such as receptions, call centers and general telephone use and is ideal for the Corporate, Financial, Health, Government, Educational, Industrial, and SME/SoHo market sectors.



Key Features and Benefits


- Compatible with Jabra and Plantronics
- Control phone through wireless headset
- Plug and play
- Easy to use


Specifications

Specifications	Description
----------------	-------------

<p>Main Features</p>	<ul style="list-style-type: none"> • Supports Yealink T48S/T46S/T42S/T41S/T48G/T46G/T42G/T40G/T40P/T41P/T29G/T27G/T27P IP Phones • Compatible with Jabra and Plantronics wireless headsets • Plug and play • Answer incoming call through remote wireless headset • Terminate calls using remote wireless headset key • Incoming calls are signalled in the headset earpiece
<p>Physical Features</p>	<ul style="list-style-type: none"> • Built-in a RJ12 (6P6C) input port connected to IP phone • 1 x RJ45 (8P8C) output port for GN/Jabra headset • 1 x 3.5 mm output port for Plantronics headset • Accessories: 1 x RJ12, 1 x RJ45, 1 x 3.5 mm, 1 x RJ9
<p>Package Features</p>	<ul style="list-style-type: none"> • Qty/CTN: 40 PCS • N.W/CTN: 6.5 kg • G.W/CTN: 7.0 kg • Giftbox size: 160 mm x 85 mm x 35 mm • Carton meas: 400 mm x 382 mm x 190 mm
<p>Compatible Headsets</p>	

Connection





[Click Here](#) to go to the product introduction on the Yealink official website.